

Command List

Command	Param	Description	Example
activity		Activity	activity shortname=xorg;;opp=xcuspo;;source="Engineering Customer Order";;type="Auto";;team=xteam;;note="Order No: "+xordernum+" updated."
array	array get(index,fields)	An array is a container object that holds set of Data	array get(i,clist) [i=index,clist=list of fields]
begin		BEGIN TRANSACTION represents a point at which the data referenced by a connection is logically and physically consistent.	begin if err == 1 .or. #result .eq. "false" rollback else commit end if
break		if we need to exit from a loop/command action in the point of Error then we use break .	Exm~01: buffer ppmps=#form set ppmps.xrevised="" insert ppmps if #result .eq. "false" print "Cannot Insert new MPS - Cannot Revise" break end if Exm~02: str sql="select xsup as sup from caitemsup i, portd r where i.zid=r.zid and i.xitem=r.xitem and r.zid="+#id+" and r.xporeqnum="+xporeqnum+" group by xsup" int is=#sqlfill(sql) int i=0 int showrfq=0 while i < is array get(i,"sup") int itemp=#sql(int,"select count(*) from porfq where xporeqnum="+xporeqnum+" and xsup="+sup+"") if itemp == 0 set showrfq=1 break end if set i=i+1 end while
buffer		buffer to access and update cache, to reduce database file I/O.	buffer xlocals [where xtocats is table name]
call		Call Method	call xy [where xy is a Method name]
Clear		Clear existing data from form	Clear
captcha		CAPTCHA is the type of response test used to determine whether or not the user is human	
console		The term console usually refers to a log file[c:\tomcat\logs\ localhost.....log] to monitor the status of the system.	console "Voucher "+glexchap.xalcnm+":" +glexchap.xalcrow+":" +line+":amount="+amount
convert		convert from,to	
command		command expression	
commit			
copydir		copydir source, target	
copyfi		copyfile source, target	
copy		copy filename(field=newvalue;field=newvalue;..	
compute		compute a=expression	
decimal		Data Type	decimal x
delete		Delete Entry	Delete
dconsole		Debug console	
dprint		Debug print	
double		Data Type	double x
error			
float		Data Type	float x
format			
getmail			
hashtable			
history			history type="Bug";;object=xbug;;action="Assign";;status="1-New";;new="2-Assigned";;message=btbugs.xnote
int		Data Type	int x
insert			
init			
mail			mail from=#user;;to=xmmember+"," +xholder;;sub="Bug "+xbug+" Assigned for Resolution";;message="The Bug No: "+xbug+" has been assigned to you for resolution."+#char(10)+btbugs.xlong
makedir			
mkdir			
mandatory			
matrixsave			
move			
push			
pop			
print			
run			
schedule		scheduler stop/start	
set			
sftp		SFTP	
sms			
string			
test			
update			
vclear			
vtest			
vmmsg			
comp			

From:

<http://wiki.dreamapps.com/wiki/> - **DreamApps Wiki**

Permanent link:

<http://wiki.dreamapps.com/wiki/doku.php?id=new:manik&rev=1404283512>

Last update: **2014/07/02 06:45**

