

Dream Scrip has numerous in-build function to perform various tasks.

Usually starts with “#” (Ex: #date). Some excepts parameters and others don't

Function	Parameters	Description	Example
Function	Parameters	Description	Example
#adcart			
#age		Calculate the age from a given date	
#all			
#app			
#arandom			
#arg			
#assetpath			
#bash			
#box			
#captcha			
#cart			
#char		ASCII value	
#chart			
#chec			
#command			
#config			
#consolidate	set #consolidate="true"		
#count			
#cper			
#cr			
#cur			
#current			
#currentform			
#cyc			
#cyear			
#cyp			
#date			
#day	(Date)		int days=#days(xdatedel)-#days(xdate)
#db			
#dec			
#def			
#df			
#dir			
#dream	(dreamname.property)		
#du	du(zvalue)		
#encode			
#enh/#enhanced			if #enhanced .eq. "true"
#err	true		
#evalx			set xcustomfolders=xcustomfolders+"WEB-INF/custom/" + #eval("folder["+i+"]")+"/"
#exceltocsv	(filepath)		
#exch	(cur,date)		set opord.xexch=#exch(opord.xcur)
#exist			
#exists	(filepath)		
#extract			
#field	(fieldname.property)		set #fields(xunitat→xstatusat.display)="const"
#file	(sql,filler,marker)		
#file	(path)		
#filearray	("path,cont,ext")		
#fillsql			
#fit	(key,sep,sql)		
#form			
#format			
#fper	(date)		
#fyear	(date)		
#get			
#glall			if #glall .ne. ""
#global			
#gloffset			int per=12+#sub(xdatecom,5,2)-#gloffset
#glper			if #glper > 0 .and. per <> #glper .and. #in(#glset,per) < 0 .and. headerpage .ne. "giopen"
#glset			console "index="+#index(#glset,xper)
#glxset			if #index(#glxset,comma) > 0
#glyear			if #glyear > 0
#google			
#hash			
#he (HTML Encoder)			
#hhmm			
#htm			
#http			
#id			set zid=#id
#index			
#intersect			
#inv			
#ip			

Function	Parameters	Description	Example
#irr			
#job	(desc,command,obj)		
#json			
#json	(buffer, file filename)		
#json	(buffer, text)		
#jsonar			
#jsonob			
#last			
#le			
#legacy	(models)		
#list	(listname.property)		set #list(reclist.caption) = #char(34)+ "Allocated Receipt List" + #char(34)
#load			set file=xfolderfrom+xfilefrom+" .dic", set xtext=#load(file)
#loc (locale)			
#log			set #log="false"
#login			
#long/longtoday			set xdatepay=#longtoday(pay)
#longtomac			
#lower			
#mactolong			
#math			
#max			
#maxdate			set xdateinv=#maxdate
#mess/messaging			set #messaging="false"
#model			
#modul			
#module			
#month			
#monthname			
#monthshort			
#mprofile			
#nam			
#nextrev	(fieldname,size)		
#nohtml			
#now			
#org			set #org=zorg
#padl	(str,length, pad)		set smm=#padl(mm,2,"0")
#padr			
#parse	(name,text,sep,reverse)		int size=#parse("folder",custom," , ")
#password	(email,password)		str msg=#pass(zemail,xpassword)
#path	(email,password)		
#pick	(fieldname)		
#proc/process			set xdisplay=#process(xtext)
#profile	(propname)		select "xcus = '" + #profile(target) + "'"
#prop			
#prop	(str,propname)		set xacc=#prop(xlocals.xprops,"placcout")
#query	(searchexp fieldlist)		
#ran			
#real			
#regex	(value,regex)		
#regreplace	(value,regex,str)		
#rend			
#replace	(target,substring,newstring)		set whloc.xloc=#replace(loc,"-",",")
#report			
#reslist			
#respath			
#result			
#ret			
#rm			
#roo			
#round			set xvalpost=#round(pogdtbat.xqty*rate,2)
#row			
#save	(file,text)		set xtemp=#save(file,xtext)
#separator			
#servlet			xdoc attrib(link #servlet+"?page="+page+"&nexttab="+nexttab+"&command=Show&xempnum=?&xdoc=?")
#session	(user,pwd,id)		
#sha1	(Str)		
#show	(object, param,...)		
#singlecurrency			
#site			
#skin			
#smsg			
#soap	(dest, file filename)		
#split	(name,text,width,sep)		#split(name,text,width,sep)
#sql			
#sqlfill	("select ...")		

Function	Parameters	Description	Example	
#sqlist	(“	”, “select ...”)		set s= #sqlist(“select xvoucher from glheader where zid=“+ #id+” and xyear=“+xyear+” and xper=“+xper+” and xstatusjv<>'Balanced' and (xapproved is null or xapproved <> '1')”)
#status	(field, index)		if xstatustor .eq. #status(“xstatustor”,2)	
#sub	(str, pos, length)		set tmp = #sub(xdate,0,4)	
#sysperiod				
#system				
#sysuser				
#sysyear				
#template	(source,template,sep,placeholder)			
#test				
#text	(textname)			
#this	(scheme/name/port)			
#thumbnail				
#time				
#trim	(arg)			
#trn	(ttype,trn)			
#true				
#unz				
#upper	(arg)			
#url				
#valid	(date)			
#verr				
#vmmsg				
#wday	(date)			
#wiki	(file file),			
#wiki	(text text)			
#xml	(buffer, file filename)			
#xml	(buffer, text)			
#xmlattrfind	(s,tag.attrib)			
#xmlattrreplace	(s,tag.attrib,r)			
#xmltagfind	(s,tag)			
#xmltagreplace	(s,tag,r)			
#year				
#zidfill				
#zip	(zipfile,ext,contains)			
#zipent				

From:

<http://wiki.dreamapps.com/wiki/> - **DreamApps Wiki**

Permanent link:

<http://wiki.dreamapps.com/wiki/doku.php?id=new:mueed&rev=1404221745>Last update: **2014/07/01 13:35**