

Dream Scrip has numerous in-build function to perform various tasks.
Usually starts with “#” (Ex: #date). Some excepts parameters and others don't

Function	Parameters	Description	Example	Function Group
#adcart				
#age		Calculate the age from a given date		
#all				
#app				
#arandom				
#arg				
#assetpath				
#bash				
#box				
#captcha				
#cart				
#char		ASCII value		
#chart				
#chec				
#command				
#config				
#consolidate	set #consolidate="true"			
#count				
#cper				
#cr				
#cur				
#current				
#currentform				
#cyc				
#cyear				
#cyp				
#date				
#day	(Date)		int days=#days(xdatedel)-#days(xdate)	
#db				
#dec				
#def				
#df				
#dir				
#dream	(dreamname.property)			
#du	du(zvalue)			
#encode				
#enh/#enhanced			if #enhanced .eq. "true"	
#err	true			
#evalx			set xcustomfolders=xcustomfolders+"WEB-INF/custom/" + #eval("folder["+i+"]")+"/"	
#exceltocsv	(filepath)			
#exch	(cur,date)		set opord.xexch=#exch(opord.xcur)	
#exist				
#exists	(filepath)			
#extract				
#field	(fieldname.property)		set #fields(xunitat→xstatusat.display)="const"	
#file	(sql,filler,marker)			
#file	(path)			
#filearray	("path,cont,ext")			
#fillsql				
#fit	(key,sep,sql)			
#form				
#format				
#fper	(date)			
#fyear	(date)			
#get				
#glall			if #glall .ne. ""	
#global				
#gloffset			int per=12+ #sub(xdatecom,5,2)-#gloffset	
#glper			if #glper > 0 .and. per <> #glper .and. #in(#glset,per) < 0 .and. headerpage .ne. "glopen"	
#glset			console "index=" + #index(#glset,xper)	
#glxset			if #index(#glxset,comma) > 0	
#glyear			if #glyear > 0	
#google				
#hash				
#he (HTML Encoder)				
#hhmm				
#htm				
#http				
#id			set zid=#id	
#index				
#intersect				
#inv				
#ip				
#irr				

Function	Parameters	Description	Example	Function Group
#job	(desc,command,obj)			
#json				
#json	(buffer, file filename)			
#json	(buffer, text)			
#jsonar				
#jsonob				
#last				
#le				
#legacy	(models)			
#list	(listname.property)		set #list(reclist.caption) = #char(34)+"Allocated Receipt List"+#char(34)	
#load			set file=xfolderfrom+xfilefrom+".dic", set xtext=#load(file)	
#loc (locale)				
#log			set #log="false"	
#login				
#long/longtodate			set xdatepay=#longtodate(pay)	
#longtomac				
#lower				
#mactolong				
#math				
#max				
#maxdate			set xdateinv=#maxdate	
#mess/messaging			set #messaging="false"	
#model				
#modul				
#module				
#month				
#monthname				
#monthshort				
#mprofile				
#nam				
#nextrev	(fieldname,size)			
#nohtml				
#now				
#org			set #org=zorg	
#padl	(str,length, pad)		set smm=#padl(mm,2,"0")	
#padr				
#parse	(name,text,sep,reverse)		int size=#parse("folder",custom,",")	
#password	(email,password)		str msg=#pass(zemail,xpassword)	
#path	(email,password)			
#pick	(fieldname)			
#proc/process			set xdisplay=#process(xtext)	
#profile	(propname)		select "xcus = '" + #profile(target) + "'"	
#prop				
#prop	(str,propname)		set xacc=#prop(xlocals.xprops,"placcount")	
#query	(searchexp fieldlist)			
#ran				
#real				
#regex	(value,regex)			
#regreplace	(value,regex,str)			
#rend				
#replace	(target,substring,newstring)		set whloc.xloc=#replace(loc,"-",",")	
#report				
#reslist				
#respath				
#result				
#ret				
#rm				
#roo				
#round			set xvalpost=#round(pogdtbat.xqty*rate,2)	
#row				
#save	(file,text)		set xtemp=#save(file,xtext)	
#separator				
#servlet			xdoc attrib(link #servlet+"?page="+page+"&nexttab="+nexttab+"&command=Show&xempnum=?&xdoc=?")	
#session	(user,pwd,id)			
#sha1	(Str)			
#show	(object, param,...)			
#singlecurrency				
#site				
#skin				
#smsg				
#soap	(dest, file filename)			
#split	(name,text,width,sep)		#split(name,text,width,sep)	
#sql				
#sqlfill	("select ...")			
#sqllist	("	","select ...")		set s= #sqllist("select xvoucher from glheader where zid="+#id+" and xyear="+xyear+" and xper="+xper+" and xstatusjv<>'Balanced' and (xapproved is null or xapproved <> '1')")

Function	Parameters	Description	Example	Function Group
#status	(field, index)		if xstatustor .eq. #status("xstatustor",2)	
#sub	(str, pos, length)		set tmp = #sub(xdate,0,4)	
#sysperiod				
#system				
#sysuser				
#sysyear				
#template	(source,template,sep,placeholder)			
#test				
#text	(textname)			
#this	(scheme/name/port)			
#thumbnail				
#time				
#trim	(arg)			
#trn	(type,trn)			
#true				
#unz				
#upper	(arg)			
#url				
#valid	(date)			
#verr				
#vmmsg				
#wday	(date)			
#wiki	(file file),			
#wiki	(text text)			
#xml	(buffer, file filename)			
#xml	(buffer, text)			
#xmlattrfind	(s,tag.attrib)			
#xmlattrreplace	(s,tag.attrib,r)			
#xmltagfind	(s,tag)			
#xmltagreplace	(s,tag,r)			
#year				
#zidfill				
#zip	(zipfile,ext,contains)			
#zipent				

From:

<http://wiki.dreamapps.com/wiki/> - **DreamApps Wiki**

Permanent link:

<http://wiki.dreamapps.com/wiki/doku.php?id=usage:functions>

Last update: **2015/01/19 03:25**

